CodeBook for ALL_POSPREG_CAPI

Table of Contents

Summary of Dataset

SAS Dataset .... ALL_POSPREG_CAPI
Creation Date 23APR10:14:22:09
SAS Library Name... WORK
SAS Engine.. V9

Total Observations.. 82
Total Variables... 86

Numeric Variables
  Total 74
  Minimum Length 8
  Maximum Length... 8
  Minimum # Levels on Variable Frequency 1
  Maximum # Levels on Variable Frequency....... 30

Character Variables
  Total 12
  Minimum Length 1
  Maximum Length... 80
  Minimum # Levels on Variable Frequency 1
  Maximum # Levels on Variable Frequency....... 82

Description of Variables

C1B   C1b = Teen have been preg in past 6 mo?
Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = Yes..	24	29.3	0.0
2	2 = No	8	9.8	0.0
.	. ...	50	61.0	0.0

CAPI_MO   CAPI_mo
Numeric, Length=8

Value	Unwtd Freq	Unwtd Percent	Wtd Percent
6	3	3.7	0.0
12	21	25.6	0.0
18	12	14.6	0.0
24	20	24.4	0.0
Missing...	26	31.7	0.0

FUP_MO   Fup_Mo
Numeric, Length=8

Value	Unwtd Freq	Unwtd Percent	Wtd Percent
9	1	1.2	0.0
12	2	2.4	0.0
15	1	1.2	0.0
18	6	7.3	0.0
24	7	8.5	0.0
Missing...	65	79.3	0.0

G7_3_1   G7_3_1 = Whos home is it? OWN PLACE (3rd pregnacy)
Numeric, Length=8, Format=YESNO3F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
0	0 = No	20	24.4	0.0
.	. ...	62	75.6	0.0

G7_3_2   G7_3_2 = Whos home is it? PARENTS (3rd pregnacy)
Numeric, Length=8, Format=YESNO3F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
0	0 = No	20	24.4	0.0
.	. ...	62	75.6	0.0

G7_3_3   G7_3_3 = Whos home is it? RELATIVES (3rd pregnacy)
Numeric, Length=8, Format=YESNO3F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
0	0 = No	20	24.4	0.0
.	. ...	62	75.6	0.0

G7_3_4   G7_3_4 = Whos home is it? PARTNERS RELATIVES (3rd pregnacy)
Numeric, Length=8, Format=YESNO3F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
0	0 = No	20	24.4	0.0
.	. ...	62	75.6	0.0

G7_3_5   G7_3_5 = Whos home is it? PARTNER (3rd pregnacy)
Numeric, Length=8, Format=YESNO3F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
0	0 = No	20	24.4	0.0
.	. ...	62	75.6	0.0

G7_3_6   G7_3_6 = Whos home is it? FRIENDS (3rd pregnacy)
Numeric, Length=8, Format=YESNO3F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
0	0 = No	20	24.4	0.0
.	. ...	62	75.6	0.0

G7_3_7   G7_3_7 = Whos home is it? FOSTER HOME (3rd pregnacy)
Numeric, Length=8, Format=YESNO3F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
0	0 = No	20	24.4	0.0
.	. ...	62	75.6	0.0

G7_3_8   G7_3_8 = Whos home is it? OTHER (3rd pregnacy)
Numeric, Length=8, Format=YESNO3F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
0	0 = No	20	24.4	0.0
.	. ...	62	75.6	0.0

G7_3_8_SP   G7_3_8_SP = Whos home is it? OTHER (Specify) (3rd pregnacy)
Character, Length=80, Format=$

Value		Unwtd Freq	Unwtd Percent	Wtd Percent
Missing		82	100.0	0.0

G7_3_97   G7_3_97 = Whos home is it? DK (3rd pregnacy)
Numeric, Length=8, Format=YESNO3F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
0	0 = No	20	24.4	0.0
.	. ...	62	75.6	0.0

G7_3_98   G7_3_98 = Whos home is it? REF (3rd pregnacy)
Numeric, Length=8, Format=YESNO3F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
0	0 = No	20	24.4	0.0
.	. ...	62	75.6	0.0

G7_3_99   G7_3_99 = Whos home is it? NA (3rd pregnacy)
Numeric, Length=8, Format=YESNO3F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
0	0 = No	20	24.4	0.0
.	. ...	62	75.6	0.0

P10   P10 = Was he working then? (1st pregnacy)
Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = Yes	34	41.5	0.0
2	2 = No	10	12.2	0.0
.	. ...	38	46.3	0.0

P10_2   P10_2 = Was he working then? (2nd pregnacy)
Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = Yes	3	3.7	0.0
.	. ...	79	96.3	0.0

P10_3   G10_3 = Was he working then? (3rd pregnacy)
Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
.	. ...	82	100.0	0.0

P11   P11 = Was this a full-time or part-time job? (1st pregnacy)
Numeric, Length=8, Format=PP24MG11_1FT

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = FULL TIME ONLY	23	28.0	0.0
2	2 = PART TIME ONLY	9	11.0	0.0
3	3 = BOTH	2	2.4	0.0
.	. ...	48	58.5	0.0

P11_2   P11_2 = Was this a full-time or part-time job? (2nd pregnacy)
Numeric, Length=8, Format=PP24MG11_1FT

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = FULL TIME ONLY	3	3.7	0.0
.	. ...	79	96.3	0.0

P11_3   G11_3 = Was this a full-time or part-time job? (3rd pregnacy)
Numeric, Length=8, Format=PP24MG11_1FT

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
.	. ...	82	100.0	0.0

P12   P12 = Did your partner expect you to continue your education? (1st pregnacy)
Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = Yes...	39	47.6	0.0
2	2 = No	2	2.4	0.0
98	98 = Do Not Know..	3	3.7	0.0
.	. ...	38	46.3	0.0

P12_2   P12_2 = Did your partner expect you to continue your education? (2nd pregnacy)
Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = Yes...	4	4.9	0.0
2	2 = No	1	1.2	0.0
.	. ...	77	93.9	0.0

P12_3   G14_3 = Did your partner expect you to continue your education? (3rd pregnacy)
Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
.	. ...	82	100.0	0.0

P13   P13 = Did your partner want to have a child with you before (baby) turned 2 years? (1st pregnacy)
Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = Yes..	14	17.1	0.0
2	2 = No	28	34.1	0.0
98	98 = Do Not Know..	2	2.4	0.0
.	. ...	38	46.3	0.0

P13_2   P13_2 = Did your partner want to have a child with you before (baby) turned 2 years? (2nd pregnacy)
Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = Yes..	1	1.2	0.0
2	2 = No	4	4.9	0.0
.	. ...	77	93.9	0.0

P13_3   G15_3 = Did your partner want to have a child with you before (baby) turned 2 years? (3rd pregnacy)
Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
.	. ...	82	100.0	0.0

P14   P14 = Did your partner pressure you to have another/a baby with him? (1st pregnacy)
Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = Yes..	1	1.2	0.0
2	2 = No	43	52.4	0.0
.	. ...	38	46.3	0.0

P14_2   P14_2 = Did your partner pressure you to have another/a baby with him? (2nd pregnacy)

Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
2	2 = No	5	6.1	0.0
.	. ...	77	93.9	0.0

P14_3   G16_3 = Did your partner pressure you to have another/a baby with him? (3rd pregnacy)

Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
.	. ...	82	100.0	0.0

P15   P15 = How long had you been with him before you got pregnant?(1st pregnacy)

Numeric, Length=8, Format=DKREFSKP2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
3	3	4	4.9	0.0
4	4	2	2.4	0.0
6	6	3	3.7	0.0
7	7	4	4.9	0.0
8	8	2	2.4	0.0
9	9	2	2.4	0.0
10	10	1	1.2	0.0
12	12	2	2.4	0.0
14	14	1	1.2	0.0
15	15	1	1.2	0.0
24	24	2	2.4	0.0
36	36	2	2.4	0.0
48	48	3	3.7	0.0
72	72	1	1.2	0.0
88	88	1	1.2	0.0
.	. ...	51	62.2	0.0

P15_2   P15_2 = How long had you been with him before you got pregnant?(2nd pregnacy)

Numeric, Length=8, Format=DKREFSKP2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
12	12	1	1.2	0.0
18	18	1	1.2	0.0
.	. ...	79	96.3	0.0
-98	-98 = Do Not Know	1	1.2	0.0

P15_3   P15_3 = How long had you been with him before you got pregnant?(3rd pregnacy)

Numeric, Length=8, Format=DKREFSKP2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
.	. ...	82	100.0	0.0

P16   P16 = At the time you got pregnant, was he living in the same house hold with you?(1st pregnacy)

Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = Yes...	9	11.0	0.0
2	2 = No	35	42.7	0.0
.	. ...	38	46.3	0.0

P16_2   P16_2 = At the time you got pregnant, was he living in the same house hold with you?(2nd pregnacy)

Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = Yes...	2	2.4	0.0
2	2 = No	1	1.2	0.0
.	. ...	79	96.3	0.0

P16_3   P16_3 = At the time you got pregnant, was he living in the same house hold with you?(3rd pregnacy)

Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
.	. ...	82	100.0	0.0

P17   P17 = Whose home was it at the time you got pregnant

Character, Length=19, Format=$

Value	Unwtd Freq	Unwtd Percent	Wtd Percent
Missing..	74	90.2	0.0
parents..	1	1.2	0.0
partner	1	1.2	0.0
partner's relatives	4	4.9	0.0
relatives..	2	2.4	0.0

P17_2   P17_2 = Whose home was it at the time you got pregnant (2nd preg)?
Character, Length=1, Format=$

Value	Unwtd Freq	Unwtd Percent	Wtd Percent
Missing...	82	100.0	0.0

P17_SP   P17_sp = Whose home was it at the time you got pregnant? Other (Specify)
Character, Length=1, Format=$

Value	Unwtd Freq	Unwtd Percent	Wtd Percent
Missing...	82	100.0	0.0

P17_SP_2   P17_sp_2 = Whose home was it at the time you got pregnant (2nd preg)? Other (Specify)
Character, Length=1, Format=$

Value	Unwtd Freq	Unwtd Percent	Wtd Percent
Missing...	82	100.0	0.0

P18   P18 = How many hours do/did you spend with him in an average week? (1st pregnacy)

Numeric, Length=8, Format=DKREFSKP2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
4	4	1	1.2	0.0
5	5	1	1.2	0.0
7	7	1	1.2	0.0
8	8	2	2.4	0.0
10	10	1	1.2	0.0
12	12	1	1.2	0.0
13	13	1	1.2	0.0
26	26	1	1.2	0.0
28	28	1	1.2	0.0
30	30	3	3.7	0.0
35	35	3	3.7	0.0
40	40	4	4.9	0.0
45	45	1	1.2	0.0
48	48	1	1.2	0.0
50	50	2	2.4	0.0
55	55	1	1.2	0.0
60	60	1	1.2	0.0
70	70	3	3.7	0.0
72	72	3	3.7	0.0
73	73	1	1.2	0.0
75	75	1	1.2	0.0
80	80	2	2.4	0.0
84	84	2	2.4	0.0
96	96	1	1.2	0.0
98	98	1	1.2	0.0
115	115	1	1.2	0.0
120	120	1	1.2	0.0
168	168	1	1.2	0.0
170	170	1	1.2	0.0
.	. ...	38	46.3	0.0

P18A   P18a = Why dont you see him? (1st pregnacy)

Numeric, Length=8, Format=PP24MG8A_1FT

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
4	4 = OTHER...	1	1.2	0.0
.	. ...	81	98.8	0.0

P18A_2   P18a_2 = Why dont you see him? (2nd pregnacy)

Numeric, Length=8, Format=PP24MG8A_1FT

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
.	. ...	82	100.0	0.0

P18A_3   G8a_3 = Why dont you see him? (3rd pregnacy)
Numeric, Length=8, Format=PP24MG8A_1FT

		Unwtd	Unwtd	Wtd
Value	Label	Freq	Percent	Percent
.	. ...	82	100.0	0.0

P18A_SP   P18a_sp = Why dont you see him? (Specify) (1st pregnacy)
Character, Length=80, Format=$

	Unwtd	Unwtd	Wtd
Value	Freq	Percent	Percent
Missing...	81	98.8	0.0
had to go to shows	1	1.2	0.0

P18A_SP_2   P18a_sp_2 = Why dont you see him? (Specify) (2nd pregnacy)
Character, Length=80, Format=$

	Unwtd	Unwtd	Wtd
Value	Freq	Percent	Percent
Missing...	82	100.0	0.0

P18A_SP_3   G8a_3_SP = Why dont you see him? (Specify) (3rd pregnacy)
Character, Length=80, Format=$

	Unwtd	Unwtd	Wtd
Value	Freq	Percent	Percent
Missing...	82	100.0	0.0

P18_2   P18_2 = How many hours do/did you spend with him in an average week? (2nd
                     pregnacy)
Numeric, Length=8, Format=DKREFSKP2F

		Unwtd	Unwtd	Wtd
Value	Label	Freq	Percent	Percent
35	35	1	1.2	0.0
50	50	1	1.2	0.0
70	70	1	1.2	0.0
.	. ...	79	96.3	0.0

P18_3   G8_3 = How many hours do/did you spend with him in an average week? (3rd
                     pregnacy)
Numeric, Length=8, Format=DKREFSKP2F

		Unwtd	Unwtd	Wtd
Value	Label	Freq	Percent	Percent
.	. ...	82	100.0	0.0

P19   P19 = Was your partner still in school at the time you got pregnant Or has/had he gone back to school? (1st pregnacy)

Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = Yes..	12	14.6	0.0
2	2 = No	32	39.0	0.0
.	. ...	38	46.3	0.0

P19_2   P19_2 = Was your partner still in school at the time you got pregnant Or has/had he gone back to school? (2nd pregnacy)

Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = Yes..	1	1.2	0.0
2	2 = No	2	2.4	0.0
.	. ...	79	96.3	0.0

P19_3   G9_3 = Was your partner still in school at the time you got pregnant Or has/had he gone back to school? (3rd pregnacy)

Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
.	. ...	82	100.0	0.0

P1_MOPP   P1_moPP = Age in months of baby when got pregnant again
Numeric, Length=8, Format=DKREFSKP2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1	1	1.2	0.0
2	2	2	2.4	0.0
3	3	1	1.2	0.0
4	4	3	3.7	0.0
5	5	5	6.1	0.0
6	6	4	4.9	0.0
7	7	1	1.2	0.0
8	8	5	6.1	0.0
9	9	5	6.1	0.0
10	10	2	2.4	0.0
11	11	4	4.9	0.0
12	12	15	18.3	0.0
13	13	3	3.7	0.0
14	14	3	3.7	0.0
15	15	1	1.2	0.0
17	17	1	1.2	0.0
18	18	6	7.3	0.0
19	19	2	2.4	0.0
20	20	3	3.7	0.0
21	21	3	3.7	0.0
22	22	2	2.4	0.0
23	23	1	1.2	0.0
24	24	1	1.2	0.0
.	. ...	3	3.7	0.0
-98	-98 = Do Not Know	5	6.1	0.0

P1_MOPP_2   P1_moPP_2 = how old is baby when you pregnant 2nd preg
Numeric, Length=8, Format=DKREFSKPF

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
15	15	1	1.2	0.0
22	22	1	1.2	0.0
24	24	3	3.7	0.0
.	. ...	77	93.9	0.0

P1_MOPP_3   P1_moPP_3 = how old is baby when you pregnant 3rd preg
Numeric, Length=8, Format=DKREFSKPF

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
.	. ...	82	100.0	0.0

P2A_BABYFATHER_SP P2a_babyfather_sp = pregnant again by baby father or some else specify
1st preg
Character, Length=50, Format=$

Value	Unwtd Freq	Unwtd Percent	Wtd Percent
Missing...	80	97.6	0.0
friend..	1	1.2	0.0
new friend but not together any longer	1	1.2	0.0

P2A_BABYFATHER_SP_2 P2a_babyfather_sp_2 = pregnant again by baby father or some
else specify 2nd preg
Character, Length=50, Format=$

Value	Unwtd Freq	Unwtd Percent	Wtd Percent
Missing..	82	100.0	0.0

P2A_BABYFATHER_SP_3 P2a_babyfather_sp_3 = pregnant again by baby father or some
else specify 3rd preg
Character, Length=50, Format=$

Value	Unwtd Freq	Unwtd Percent	Wtd Percent
Missing..	82	100.0	0.0

P2_BABY2FATHER P2_Baby2Father = Who is father when got pregnant again
Numeric, Length=8, Format=PP6MI_2FT

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	Babys father	46	56.1	0.0
2	Current boyfriend..	14	17.1	0.0
3	Former boyfriend	16	19.5	0.0
4	Other	2	2.4	0.0
.	. ...	4	4.9	0.0

P2_BABY2FATHER_2 P2_Baby2Father_2 = pregnant again by baby father or some else 2nd
preg
Numeric, Length=8, Format=PP6MI_2FT

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
2	Current boyfriend..	2	2.4	0.0
3	Former boyfriend	3	3.7	0.0
.	. ...	77	93.9	0.0

P2_BABY2FATHER_3   P2_Baby2Father_3 = pregnant again by baby father or some else 3rd
                    preg
Numeric, Length=8, Format=PP6MI_2FT

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
.	. ...	82	100.0	0.0

P3_FATHERAGE   P3_fatherage = How old is the father when got pregnant again
Numeric, Length=8, Format=DKREFSKP2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
17	17	1	1.2	0.0
18	18	1	1.2	0.0
19	19	5	6.1	0.0
20	20	3	3.7	0.0
21	21	2	2.4	0.0
22	22	5	6.1	0.0
25	25	1	1.2	0.0
27	27	1	1.2	0.0
28	28	1	1.2	0.0
43	43	1	1.2	0.0
.	. ...	61	74.4	0.0

P3_FATHERAGE_2   P3_fatherage_2 = how old is this person 2nd preg
Numeric, Length=8, Format=DKREFSKP2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
.	. ...	82	100.0	0.0

P3_FATHERAGE_3   P3_fatherage_3 = how old is this person 3rd preg
Numeric, Length=8, Format=DKREFSKP2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
.	. ...	82	100.0	0.0

P4_NCHILDREN   P4_nchildren = How many other kids does father have when got pregnant again
Numeric, Length=8, Format=DKREFSKP2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
0	0	14	17.1	0.0
1	1	5	6.1	0.0
2	2	2	2.4	0.0
.	. ...	61	74.4	0.0

P4_NCHILDREN_2   P4_nchildren_2 = how many other children he have 2nd preg
Numeric, Length=8, Format=DKREFSKP2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
.	. ...	82	100.0	0.0

P4_NCHILDREN_3   P4_nchildren_3 = how many other children he have 3rd preg
Numeric, Length=8, Format=DKREFSKP2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
.	. ...	82	100.0	0.0

P5_WANTPREG   P5_WantPreg = Wanted to get preg w/ that person when got pregnant again
Numeric, Length=8, Format=YESNO5LEVF

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = Definitely no..	37	45.1	0.0
2	2 = Probably no..	15	18.3	0.0
3	3 = Neither yes or no..	9	11.0	0.0
4	4 = Probably yes	7	8.5	0.0
5	5 = Definitely yes...	7	8.5	0.0
98	98 = Do Not Know...	1	1.2	0.0
.	. ...	6	7.3	0.0

P5_WANTPREG_2   P5_WantPreg_2 = do you want to get pregnant with that person 2nd preg
Numeric, Length=8, Format=YESNO5LEVF

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = Definitely no..	1	1.2	0.0
4	4 = Probably yes	2	2.4	0.0
.	. ...	79	96.3	0.0

P5_WANTPREG_3   P5_WantPreg_3 = do you want to get pregnant with that person 3rd preg
Numeric, Length=8, Format=YESNO5LEVF

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
.	. ...	82	100.0	0.0

P6_DECISION   P6_decision = Decision about this subsequent pregnancy
Numeric, Length=8, Format=PP12MF4_6FT

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = Carry to term...	55	67.1	0.0
2	2 = Abortion..	10	12.2	0.0
3	3 = Havent decided yet	1	1.2	0.0
5	5 = Miscarried...	11	13.4	0.0
97	97 = NA/Skip...	1	1.2	0.0
.	....	4	4.9	0.0

P6_DECISION_2   P6_decision_2 = decision of pregnancy 2nd preg
Numeric, Length=8, Format=PP12MF4_6FT

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = Carry to term...	2	2.4	0.0
2	2 = Abortion..	2	2.4	0.0
5	5 = Miscarried...	1	1.2	0.0
.	....	77	93.9	0.0

P6_DECISION_3   P6_decision_3 = decision of pregnancy 3rd preg
Numeric, Length=8, Format=PP12MF4_6FT

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
.	....	82	100.0	0.0

P7A_YOURDECISION   P7a_yourdecision = Decision about subsequent pregnancy is mines
Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = Yes...	3	3.7	0.0
.	....	79	96.3	0.0

P7B_FAMILYDECISION   P7b_familydecision = Decision about subsequent pregnancy is
              my familys
Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = Yes...	1	1.2	0.0
2	2 = No	1	1.2	0.0
97	97 = NA/Skip...	1	1.2	0.0
.	....	79	96.3	0.0

P7C_FATHERDECISION P7c_fatherdecision = Decision about subsequent pregnancy is the fathers

Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = Yes...	2	2.4	0.0
2	2 = No	1	1.2	0.0
.	. ...	79	96.3	0.0

P8A_AGREE P8a_agree = Agree about decision about subsequent pregnancy is mines?

Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
.	. ...	82	100.0	0.0

P8B_FAMILY_AGREE P8b_family_agree = Agree about decision about subsequent pregnancy is my familys?

Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
98	98 = Do Not Know..	1	1.2	0.0
.	. ...	81	98.8	0.0

P8C_FATHER_AGREE P8c_father_agree = Agree about decision about subsequent pregnancy is the fathers?

Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
98	98 = Do Not Know..	1	1.2	0.0
.	. ...	81	98.8	0.0

P9_BABYFATHER_CONFIRM P9_babyfather_confirm = this person is the same as the one pregnant with 2nd preg

Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = Yes...	3	3.7	0.0
.	. ...	79	96.3	0.0

P9_BABYFATHER_CONFIRM_2 P9_babyfather_confirm_2 = this person is the same as the one pregnant with 3rd preg

Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
.	. ...	82	100.0	0.0

P_CURRENTLYPREG   C1b = are you currently preg
Numeric, Length=8, Format=YESNO2F

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1 = Yes...	43	52.4	0.0
2	2 = No	34	41.5	0.0
.	. ...	5	6.1	0.0

P_NPREGNANCIES   C1a = how many times in past 12 m you preg
Numeric, Length=8, Format=DKREFSKPF

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
1	1	71	86.6	0.0
2	2	5	6.1	0.0
3	3	1	1.2	0.0
.	. ...	5	6.1	0.0

SHORTDATE   ShortDate
Numeric, Length=8, Format=DATE

Value	Label	Unwtd Freq	Unwtd Percent	Wtd Percent
17546	15JAN08...	1	1.2	0.0
17547	16JAN08...	1	1.2	0.0
17548	17JAN08...	1	1.2	0.0
17661	09MAY08..	1	1.2	0.0
17744	31JUL08..	1	1.2	0.0
17884	18DEC08	1	1.2	0.0
17895	29DEC08	1	1.2	0.0
17910	13JAN09...	1	1.2	0.0
17923	26JAN09...	1	1.2	0.0
17926	29JAN09...	1	1.2	0.0
17981	25MAR09	2	2.4	0.0
17996	09APR09...	1	1.2	0.0
18023	06MAY09..	1	1.2	0.0
18164	24SEP09..	1	1.2	0.0
18165	25SEP09..	1	1.2	0.0
18185	15OCT09	1	1.2	0.0
18191	21OCT09	1	1.2	0.0
18206	05NOV09..	2	2.4	0.0
18231	30NOV09..	1	1.2	0.0
18268	06JAN10...	1	1.2	0.0
18288	26JAN10...	1	1.2	0.0
18291	29JAN10...	1	1.2	0.0
18332	11MAR10	1	1.2	0.0
.	. ...	57	69.5	0.0

SHORT_FORM Short_Form
Numeric, Length=8

Value	Unwtd Freq	Unwtd Percent	Wtd Percent
0	56	68.3	0.0
1	26	31.7	0.0

TEENID   teenid
Character, Length=6, Format=$

Value	Unwtd Freq	Unwtd Percent	Wtd Percent
G10066	1	1.2	0.0
G10074	1	1.2	0.0
G10140	1	1.2	0.0
G10165	1	1.2	0.0
G10207	1	1.2	0.0
G10223	1	1.2	0.0
G10249	1	1.2	0.0
G10256	1	1.2	0.0
G10272	1	1.2	0.0
G10322	1	1.2	0.0
G10355	1	1.2	0.0
G10389	1	1.2	0.0
G10397	1	1.2	0.0
G10405	1	1.2	0.0
G10413	1	1.2	0.0
G10447	1	1.2	0.0
G10470	1	1.2	0.0
G10488	1	1.2	0.0
G10512	1	1.2	0.0
G10520	1	1.2	0.0
G10611	1	1.2	0.0
G10637	1	1.2	0.0
G10728	1	1.2	0.0
G10793	1	1.2	0.0
G10926	1	1.2	0.0
G10934	1	1.2	0.0
G10967	1	1.2	0.0
G11023	1	1.2	0.0
G11049	1	1.2	0.0
G11072	1	1.2	0.0
G11080	1	1.2	0.0
G11098	1	1.2	0.0
G11163	1	1.2	0.0
G11239	1	1.2	0.0
G11247	1	1.2	0.0
G11320	1	1.2	0.0
G11346	1	1.2	0.0
G11429	1	1.2	0.0
G11486	1	1.2	0.0
G11551	1	1.2	0.0
G11569	1	1.2	0.0
G11585	1	1.2	0.0
G11643	1	1.2	0.0
G11650	1	1.2	0.0
G11668	1	1.2	0.0
G11684	1	1.2	0.0
G11692	1	1.2	0.0

G11734..	1	1.2	0.0
G11767..	1	1.2	0.0
G11775..	1	1.2	0.0
G11833..	1	1.2	0.0
G11866..	1	1.2	0.0
G11908..	1	1.2	0.0
G11932..	1	1.2	0.0
G11999..	1	1.2	0.0
G12005..	1	1.2	0.0
G12013..	1	1.2	0.0
G12039..	1	1.2	0.0
G12138..	1	1.2	0.0
G12153..	1	1.2	0.0
G12203..	1	1.2	0.0
G12245..	1	1.2	0.0
G12286..	1	1.2	0.0
G12328..	1	1.2	0.0
G12344..	1	1.2	0.0
G12351..	1	1.2	0.0
G12369..	1	1.2	0.0
G12419..	1	1.2	0.0
G12526..	1	1.2	0.0
G12641..	1	1.2	0.0
G12666..	1	1.2	0.0
G12708..	1	1.2	0.0
G12716..	1	1.2	0.0
G12740..	1	1.2	0.0
G12765..	1	1.2	0.0
G12799..	1	1.2	0.0
G12823..	1	1.2	0.0
G12831..	1	1.2	0.0
G12864..	1	1.2	0.0
G12906..	1	1.2	0.0
G13037..	1	1.2	0.0
G13060..	1	1.2	0.0

Alphabetical List of Variables